



KERALA STATE POLLUTION CONTROL BOARD
DISTRICT OFFICE I, GANDHI NAGAR, ERNAKULAM - 682 020
www.keralapcb.org



EE : 0484 2207789
Phone : 0484 2207783 - 86
Fax : 0484 2207782
e-mail : ecee@keralapcb.org

PCB/EKM/DO-1/OA-439/16

Date: 17.04.2019

NOTICE

Sub:- Contempt case no.538/2019 in WP(C)no.32514/2017 filed by Sri. T.D. Joseph -reg.

Ref:- 1. Consent No. PCB/EKM/IC-241/09 dated: 22.07.2009

2. Consent No. O16ERRCTOR3099508 dated 24.06.2018 valid up to 30.06.2023

3. Inspection conducted by Board officers on 29.03.2019


4. Letter no.PCB/RO-EKM/EKM/COMP-14/17 dated 17.01.2018.

WHEREAS M/s. K.C. Wood Industries having its unit at Kalady - Malayattoor Road, Neeleswaram P.O. comes under the purview of Air (Prevention & Control of Pollution) Act 1981, Water (Prevention & Control of Pollution) Act 1974, and Environmental (Protection) Act 1986 and is bound to comply with the rules made there under;

WHEREAS Consent to operate was renewed to you vide reference cited 2nd above. You had issued a letter vide reference cited (4th) above to comply the conditions no.3.1 and 3.6 of the integrated consent to operate issued to the unit vide reference cited 1st above; ie (Conditions no.3.1 Water sprinklers shall be provided to suppress spreading of dust conditions (3.6). Saw dust should be collected securely and stored safely in tank with proper lids until disposal)

WHEREAS an inspection was conducted in the unit on 29.03.2019 based on the Contempt case no.538/2019 in WP(C) no. 32514/2017 filed by Sri. T.D. Joseph and it was noticed that the direction issued by the Board vide ref (4) above was not complied with.

-PTO-



AND NOW THEREFORE, Board intend to revoke the consent to operate issued to you vide reference cited 2nd above;

Now in view of the above, you are hereby directed to show cause if any, within 15 days why the consent to operate issued to you shall not be revoked;

Dated this 17th day of April 2019

For on or behalf of
Kerala State Pollution Control Board


ENVIRONMENTAL ENGINEER

To

Sri. K.C Augasthi
Proprietor
Kidangen House,
Kalady-Malayattoor road,
Neeleswaram
Pin code: 683584

Copy to:-

The Chief Environmental Engineer
Regional Office
Ernakulam