

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്
ചെയർമാന്റെ നടപടിക്രമം

(ഹാജർ: ശ്രീ. കെ.സജീവൻ)

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ് - ജീവനക്കാര്യം - ബോർഡിന്റെ കീഴിലുള്ള വിവിധ ഓഫീസുകളിൽ അസിസ്റ്റന്റ് എഞ്ചിനീയർ തസ്തികകളിൽ എംപ്ലോയ്മെന്റ് എക്സ്പ്രെസ്സ്, മുഖേന കോൺട്രാക്ട് അടിസ്ഥാനത്തിനുള്ള നിയമനം നൽകിക്കൊണ്ട് ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

നമ്പർ പി.സി.ബി/ഇ1/1152/2018

തിരുവനന്തപുരം, തീയതി: 14-08-2018

- പരാമർശം:- 1) അപേക്ഷ നമ്പർ 308/2013 (SZ) ൽ മേൽലുള്ള ബഹുമാനപ്പെട്ട ഹരിത ട്രൈബ്യൂണലിന്റെ 22.08.2016 ലെ ഉത്തരവ്
 2) 20.09.2016 ലെ 3671/എ1/2016 /പരി. നമ്പർ സർക്കാർ കത്ത്
 3) 09.04.2018 ലെ കോഴിക്കോട് റീജിയണൽ പ്രെഫഷണൽ & എക്സിക്യൂട്ടീവ് എംപ്ലോയ്മെന്റ് ഓഫീസറുടെ സി1/18/36 നമ്പർ കത്ത്.
 4) 26.02.2016 ലെ ജി.ഒ (പി) നം 28/2016/ഫിൻ നമ്പർ സർക്കാർ ഉത്തരവ്

ഉത്തരവ്

പരാമർശം 1,2 ലെ നിർദ്ദേശങ്ങളുടെ അടിസ്ഥാനത്തിൽ പരാമർശം 3 പ്രകാരം ലഭ്യമാക്കിയ ലിസ്റ്റിൽ നിന്നും തെരഞ്ഞെടുക്കപ്പെട്ട താഴെ പറയുന്നവരെ കോൺട്രാക്ട് നിയമനത്തിന്റെ നിബന്ധനകളും വ്യവസ്ഥകളും അംഗീകരിക്കുകയും നിറവേറ്റുകയും ചെയ്യുന്നപക്ഷം അസിസ്റ്റന്റ് എഞ്ചിനീയർ തസ്തികയിലേക്ക് 39,500/- (മുപ്പത് ഒൻപതിനായിരത്തിഅഞ്ഞൂറ് രൂപ) മൊത്ത ശമ്പളത്തിൽ ഒരു വർഷത്തേക്ക് കരാർ അടിസ്ഥാനത്തിൽ നിയമിച്ചുകൊണ്ട് ഉത്തരവാക്കുന്നു. ജോലിക്ക് ഹാജരാകുന്ന സമയത്ത് നിശ്ചിത മാതൃകയിലുള്ള ബോണ്ട് 200/- രൂപ സ്റ്റാമ്പ് പേപ്പറിൽ സമർപ്പിക്കണം.

ക്രമ നം.	പേരും വിലാസവും	നിയമന കാര്യാലയവും വിലാസവും
1	Smt. Nimisha V P Valiya Purayil, Pazhassi Pavannur Motta P O Mayyil, Kannur 670 602	Kerala State Pollution Control Board, District Office, 4th floor, Rubco House, South Bazaar, Kannur - 670 002
2	Smt. Aneesha Fathima S Anees, Navakkode Street Koduvayur P O Palakkad 678 501	Kerala State Pollution Control Board, District Office, Near District Panchayat Office, Palakkad - 678 001

3	Smt. Remya P K Pulisseri Kandi House G A College P O Palazhi - Pala Kozhikode - 673 014	Kerala State Pollution Control Board, Regional Office, 3 rd Floor, Zamorin's Square, Link Road, Kozhikode -673002
4	Smt. Namitha T G Thekkepurath House Chalisserry P O Palakkad 679 536	Kerala State Pollution Control Board, District Office, Near District Panchayat Office, Palakkad - 678 001
5	Smt. Anitha M Minikki House Arattu Vayal, Valapattanam Kannur 670 010	Kerala State Pollution Control Board, District Office, 4th floor, Rubco House, South Bazaar, Kannur - 670 002
6	Sri. Aswin A Aswas P O - Makkada Kokkodi - Via Kozhikode - 673617	Kerala State Pollution Control Board, Regional Office, 3 rd Floor, Zamorin's Square, Link Road, Kozhikode -673002
7	Sri. Shameer Ali P P Kuttippurath Kandy House Poovattuparamba P O Anakkuzhikkara Kozhikode - 673 008	Kerala State Pollution Control Board, Regional Office, 3 rd Floor, Zamorin's Square, Link Road, Kozhikode -673002
8	Sri. Sayed Nisam E P Ellath Parambil (Ho) North Annara Tirur - (P O) Malappuram- 676 101	Kerala State Pollution Control Board, District Office, No.19/269-A, Perinthalmanna Road Up Hill P.O., Kunnummel, Malappuram - 676 505
9	Smt. Majida T K Thekkekunnathil House Palath P O Kakkodi Kozhikode - 673 611	Kerala State Pollution Control Board, District Office, 3 rd Floor, Zamorin's Square, Link Road, Kozhikode -673002

10	Smt. Liny Jency K Karatt, Codacal, Tirur, Malappuram - 676 108	Kerala State Pollution Control Board, District Office, No.19/269-A, Perinthalmanna Road Up Hill P.O., Kunnummel, Malappuram - 676 505
11	Sri. Arun Govind T Theyyadath (II) Near Veterinary Hospital Kozhikode -673002	Kerala State Pollution Control Board, District Office, 3rd Floor, Zamorin's Square, Link Road, Kozhikode -673002
12	Smt. Brijeetha V G Vattakkalam House Padimaruthu P O Kasargod 671 531	Kerala State Pollution Control Board, District office, MAM Arcade, Near Railway Station, Kanhangad, Kasaragod- 671315
13	Sanil K S/O Bhaskaran V P O Chalakode Payyannur Via Kannur 670307	Kerala State Pollution Control Board, District Office, 4th floor, Rubco House, South Bazaar, Kannur - 670 002
14	Smt. Veena C Vasudevam House Pavandoor P O Kozhikode - 673613	Kerala State Pollution Control Board, District Office, 3rd Floor, Zamorin's Square, Link Road, Kozhikode -673002
15	Sri. Akhil V Veluppall House Kunnamangalam P O Kozhikode - 673571	Kerala State Pollution Control Board, District office, Jasam Complex, Pinangode Road, Kalpetta, Wayanad-673121
16	Smt. Nisha I S Shivam ,Puthiyraparambath Puliyamkodu Kunnu Marikunnu P O Kozhikode - 673012	Kerala State Pollution Control Board, District Office, Near District Panchayat Office, Palakkad - 678 001

17	Smt. Malini K Kunnathazhath House Nedungotoor Shoranur Palakkad 679121	Kerala State Pollution Control Board, District Office, Near District Panchayat Office, Palakkad - 678 001
18	Smt. Jovitha Fernandez Galilea Near Thrikkai Temple Narangapuram Thalassery 670101	Kerala State Pollution Control Board, District office, MAM Arcade, Near Railway Station, Kanhangad, Kasaragod-671315
19	Smt. Neha Joy Otaarackal House Kelakam P O Perunthanam, Kannur 670674	Kerala State Pollution Control Board, District Office, 4th floor, Rubco House, South Bazaar, Kannur - 670 002
20	Smt. Fousiya K Kadakkadan House Marakkara P O Kadampuzha Via Palliyal, Malappuram 676553	Kerala State Pollution Control Board, District Office, No.19/269-A, Perinthalmanna Road Up Hill P.O., Kunnummel, Malappuram - 676 505
21	Smt. Fathima Fasla P Puthiyottil House Kizhakkoth P O Koduvally Via Kozhikode - 673572	Kerala State Pollution Control Board, District office, MAM Arcade, Near Railway Station, Kanhangad, Kasaragod - 671315
22	Smt. Anjali K Niramalyam Panangad P O Balussery , Kozhikode - 673612	Kerala State Pollution Control Board, District office, Jasam Complex, Pinangode Road, Kalpetta, Wayanad-673121

23 Smt. Sruthi E Eachoth Veedu Kollam P O Koyilandy Kozhikode - 673307	Kerala State Pollution Control Board, District office, Jasam Complex, Pinangode Road, Kalpetta, Wayanad-673121
---	---

ഇവരുടെ സേവനം തികച്ചും താല്ക്കാലിക അടിസ്ഥാനത്തിലായിരിക്കും. ഇവരുടെ കർത്തവ്യവും സ്വഭാവവും തൃപ്തികരമല്ലെന്ന് കണ്ടെത്തിയാൽ നിയമനം റദ്ദുചെയ്യുന്നതാണ്. ഈ കോൺട്രാക്ട് നിയമനം കൊണ്ട് ബോർഡിന്റെ സർവ്വീസിൽ റഗുലറൈസ് ചെയ്ത് കിട്ടാനോ ഭാവിയിൽ ബോർഡിലെ റഗുലർ നിയമനത്തിന് അവകാശം ഉണ്ടായിരിക്കുകയോ ചെയ്യുന്നതല്ല. എംപ്ലോയ്മെന്റ് ഓഫീസിൽനിന്നും താങ്കളുടെ പേര് ശുപാർശ ചെയ്തതിൽ ക്രമക്കേടോ, നിയമനം നൽകിയതിൽ അപാകതയോ ഉള്ളതായി കണ്ടെത്തിയാൽ ഇവരുടെ സേവനം അവസാനിക്കുന്നതാണ്.

കോൺട്രാക്ട് നിയമന വ്യവസ്ഥകളും നിബന്ധനകളും അംഗീകരിക്കുന്നപക്ഷം നിയമന ഉത്തരവ് കൈപ്പറ്റി 15 ദിവസത്തിനുള്ളിൽ അതാത് ഓഫീസുകളിലെ മേലധികാരിക്ക് മുമ്പാകെ ഫോട്ടോ ഐ ഡി, വിദ്യാഭ്യാസ യോഗ്യത, വയസ്സ്, ജാതി എന്നിവയുടെ അസ്സൽ രേഖകളുമായി ഹാജരാക്കേണ്ടതാണ്. അതോടൊപ്പം നിശ്ചിത മാതൃകയിലുള്ള ബോണ്ടും സമർപ്പിക്കേണ്ടതാണ്.

അംഗീകൃത ഗവൺമെന്റ് ഡോക്ടറിൽനിന്നുള്ള യോഗ്യതാ സർട്ടിഫിക്കറ്റും, ഗസറ്റഡ് ഓഫീസർ സാക്ഷ്യപ്പെടുത്തിയ സ്വഭാവ സർട്ടിഫിക്കറ്റും ഹാജരാക്കേണ്ടതാണ്. നിശ്ചിത സമയ പരിധിക്കുള്ളിൽ ഹാജരാക്കാത്തപക്ഷം ഈ നിയമന ഉത്തരവ് റദ്ദ് ചെയ്തതായി കണക്കാക്കുന്നതും, നിയമനത്തിന് താങ്കൾക്ക് വീണ്ടും അവകാശം ഉന്നയിക്കാൻ അർഹത ഉണ്ടായിരിക്കുന്നതുമല്ല.

മേൽ ഉത്തരവും, ബോണ്ടിന്റെ മാതൃകയും ബോർഡിന്റെ വെബ്സൈറ്റ് "www.keralapcb.nic.in" ൽ ലഭ്യമാണ്.

(ഒപ്പ്)
ചെയർമാൻ

ബന്ധപ്പെട്ട വ്യക്തികൾക്ക്
 ചീഫ് എൻവയോൺമെന്റൽ എഞ്ചിനീയർ, മുഖ്യകാര്യാലയം/മേഖലാ കാര്യാലയം/
 തിരുവനന്തപുരം/എറണാകുളം/കോഴിക്കോട്
 ചീഫ് എംപ്ലോയ്മെന്റ് ഓഫീസർ, റീജിയണൽ പ്രൊഫഷണൽ & എക്സിക്യൂട്ടീവ് എംപ്ലോയ്മെന്റ്
 എക്സ്പെഞ്ച് കോഴിക്കോട്.
 പരിസ്ഥിതി എഞ്ചിനീയർ ജില്ലാ കാര്യാലയം തിരുവനന്തപുരം/കൊല്ലം/പത്തനംതിട്ട/
 ആലപ്പുഴ/കോട്ടയം/ ഇടുക്കി/ എറണാകുളം/ തൃശ്ശൂർ/ പാലക്കാട്/ മലപ്പുറം/ കോഴിക്കോട്/
 വയനാട്/കണ്ണൂർ/ കാസറഗോഡ്
 ഇ7 സെക്ഷൻ/ അക്കൗണ്ട്സ് സെക്ഷൻ
 ചെയർമാൻ/മെമ്പർ സെക്രട്ടറി എന്നിവരുടെ സി എ മാർക്ക്
 ഓഫീസ് കോപ്പി/കരുതൽ ഫയൽ

ഉത്തരവിൻ പ്രകാരം

Teemank
 സീനിയർ സൂപ്രണ്ട്