

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്
ചെയർമാന്റെ നടപടിക്രമം

(ഹാജർ: ശ്രീ. കെ.സജിറാജ്)

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ് - ജീവനക്കാര്യം - ബോർഡിന്റെ കീഴിലുള്ള വിവിധ ഓഫീസുകളിൽ അസിസ്റ്റന്റ് എഞ്ചിനീയർ തസ്തികകളിൽ എംപ്ലോയ്മെന്റ് എക്സ്പ്രെസ്സ്, മുഖേന കോൺട്രാക്ട് അടിസ്ഥാനത്തിനുള്ള നിയമനം നൽകിക്കൊണ്ട് ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

നമ്പർ പി.സി.ബി/ഇ1/654/2018

തിരുവനന്തപുരം, തീയതി: 14-08-2018

- പരാമർശം:- 1) അപേക്ഷ നമ്പർ 308/2013 (SZ) ൽ മേൽലുള്ള ബഹുമാനപ്പെട്ട ഹരിത ട്രൈബ്യൂണലിന്റെ 22.08.2016 ലെ ഉത്തരവ്
 2) 20.09.2016 ലെ 3671/എ1/2016 /പരി. നമ്പർ സർക്കാർ കത്ത്
 3) 14.03.2018 ലെ തിരുവനന്തപുരം റീജിയണൽ പ്രൈഫഷണൽ & എക്സിക്യൂട്ടീവ് എംപ്ലോയ്മെന്റ് ഓഫീസറുടെ O/45-51/18 നമ്പർ കത്ത്
 4) 26.02.2016 ലെ ജി.ഒ (പി) നം 28/2016/ഫിൻ നമ്പർ സർക്കാർ ഉത്തരവ്

ഉത്തരവ്

പരാമർശം 1,2 ലെ നിർദ്ദേശങ്ങളുടെ അടിസ്ഥാനത്തിൽ പരാമർശം 3 പ്രകാരം ലഭ്യമാക്കിയ ലിസ്റ്റിൽ നിന്നും തെരഞ്ഞെടുക്കപ്പെട്ട താഴെ പറയുന്നവരെ കോൺട്രാക്ട് നിയമനത്തിന്റെ നിബന്ധനകളും വ്യവസ്ഥകളും അംഗീകരിക്കുകയും നിറവേറ്റുകയും ചെയ്യുന്നപക്ഷം അസിസ്റ്റന്റ് എഞ്ചിനീയർ തസ്തികയിലേക്ക് 39,500/- (മുപ്പത് ഒൻപതിനായിരത്തിഅഞ്ഞൂറ് രൂപ) മാത്രം ശമ്പളത്തിൽ ഒരു വർഷത്തേക്ക് കരാർ അടിസ്ഥാനത്തിൽ നിയമിച്ചുകൊണ്ട് ഉത്തരവാക്കുന്നു. ജോലിക്ക് ഹാജരാകുന്ന സമയത്ത് നിശ്ചിത മാതൃകയിലുള്ള ബോണ്ട് 200/- രൂപ സ്റ്റാമ്പ് പേപ്പറിൽ സമർപ്പിക്കണം.

| ക്രമ നം. | പേരും വിലാസവും | നിയമന കാര്യാലയവും വിലാസവും |
|----------|---|---|
| 1. | Smt. Rajeemole V R Te 3/1240, Lane-52 Karthika East Pattom, Tvpm 695004 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 2. | Smt. Sruthy S Kumar Njunnathara Veedu Edappavoor P O Kanathoor, Ayiroor 689614 | Kerala State Pollution Control Board, Regional Office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |

| | | |
|----|---|--|
| 3. | Smt. Athira M Plamkoottathil House Lakoor, Mallassery P O Trivandrum-Dist | Kerala State Pollution Control Board, Regional Office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 4. | Smt. Lekshmi V S Sankara Mandiram Piriyacode Ooruttambalam P O 695507 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 5. | Sri. Riyas.R Poovakattumannil Valamvuzhy Pathanamthitta P.O | Kerala State Pollution Control Board, District Office, Kunnithottathil Buildings (Opposite to General Hospital)Pathanamthitta - 689 645 |
| 6. | Sri. Anjuraju A Thriveni Kadavoor Perinad P O 691601 | Kerala State Pollution Control Board, District Office, Ushus Building, Near Kallupalam, Big Bazar, Kollam |
| 7. | Smt. Shahina S Shahina Manzil Karimpalloor Puthenkulam P O 691302 | Kerala State Pollution Control Board, District Office, Ushus Building, Near Kallupalam, Big Bazar, Kollam |
| 8. | Smt. Rakhi M S Mony Land Panmana, Edappally Kotta P O Chavara, Kollam 691583 | Kerala State Pollution Control Board, District Office, Ushus Building, Near Kallupalam, Big Bazar, Kollam |
| 9. | Smt. Hitha Selsa Tc-16/1739(2), Selsas Ula-68, Ulloor Ane, Jagathy, Thycaud P O 695014 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |

| | | |
|----|--|--|
| 10 | Smt. Aaisha Jabeen M Kallarakkal Continental Garden Vattiyoorkavu P O Tvpm 695013 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 11 | Smt. Felix Issac Panachakkel Panachakkel Njokkunilam P O V-Kottayam, Pathanamthitta 689656 | Kerala State Pollution Control Board, District Office, Kunnithottathil Buildings (Opposite to General Hospital)Pathanamthitta - 689 645 |
| 12 | Sri. Vipin Vaidian Konnavilayil Perumana, Thevalakara P O, Kollam 690524 | Kerala State Pollution Control Board, District Office, Ushus Building, Near Kallupalam, Big Bazar, Kollam |
| 13 | Smt. Jyothi C S Chellam, Tra-22 Thirunagar Pangappara P O, Tvpm 695581 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 14 | Smt. Sithara S Vampu Saidu House Kadakkadu, Pandalam P O Pathanamthitta | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 15 | Smt. Parvathy Sajeev M R Building, Near T K M Arts College Tkmc P O Karikode, Kollam 691005 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 16 | Smt. Athira A A K Nivas Vennicode P O, Varkala | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 17 | Smt. Seena S N Palarakunnu Veedu, Menilam Thiruvallom P O Trivandrum 695027 | Kerala State Pollution Control Board, District Office, T C 12/96(4,5) Plamoodu ,Pattom P.O, Thiruvananthapuram - 695 004, |

| | | |
|----|---|--|
| 18 | Smt. Soumya M Das Kanjiram Vila Perinjam Konam Vadasserikonam P O Varkala 695143 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 19 | Smt. Sujith S Manikkathottam Kadakkavur P O 695306 | Kerala State Pollution Control Board, Regional Office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 20 | Smt. Sruthy K Udayan Keezhekkalluvila Veedu Arumanoor, Poovar P O | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 21 | Sri. Vishnu V S Vishnu Nivas Thammalackall P O Kumarapuram | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 22 | Sri. Anand C G Tc-4/4/944 (1), Scrra-164 A Pipe lane Road Kowdiar P O, Tvpm 695003 | Kerala State Pollution Control Board, District Office, T C 12/96(4,5) Plamoodu ,Pattom P.O, Thiruvananthapuram - 695 004, |
| 23 | Smt. Saranya R V Sruthi Bhavan Neerotuvilakam Piriyaodu Ooruttambalam P O 695507 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 24 | Smt. Remya Rajasekharan R Thunduvilakam Veedu T C 22/1025 (1); Attukal Manacaud P O 695009 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 25 | Smt. Anuranjana Jaya J Shiva Kripa, H. No. 16 Edasseri Veedu Near Amman Kovil Road Karakulam P O 695564 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |

| | | |
|----|--|--|
| 26 | Smt. Sruthi Ashok T C 8/117, C-121 Kairali Nagar Thirumala 695006 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 27 | Smt. Sajmi C Salim Charuvil House Ettichuvadu P O, Ranni Pathanamthitta 689675 | Kerala State Pollution Control Board, District Office, AMC/X/501, Thathampally P.O., Alappuzha |
| 28 | Smt. Suraiya M Iqbal Marakkar Kutty Valappu Near Yaffi Masgid Zackaria Ward 688012 | Kerala State Pollution Control Board, District Office, AMC/X/501, Thathampally P.O., Alappuzha |
| 29 | Sri. Muhammed Al Ramz Rahim Manzil Pangode P O Pangode 695609 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 30 | Sri. Abdul Razak S Al Razak Manzil Korthasseril Thathampally Ward Alappuzha 688013 | Kerala State Pollution Control Board, District Office, AMC/X/501, Thathampally P.O., Alappuzha |
| 31 | Sri. Sajin Simon U Thushara House, Allikonam Kulathoor, Uchakkada Venkadampu P O 695506 | Kerala State Pollution Control Board, District Office, T C 12/96(4,5) Plamoodu ,Pattom P.O, Thiruvananthapuram - 695 004, |
| 32 | Smt. Anjana Pinto Anjana Cottage Kizhakkekara, Kottarakkara Kottarakkara P O 691506 | Kerala State Pollution Control Board, Head office, Pattom P.O. Plamoodu Thiruvananthapuram - 695 004 |
| 33 | Smt. Roshni V L Soupamika Kurinthoor East P O Kollam 690540 | Kerala State Pollution Control Board, District Office, T C 12/96(4,5) Plamoodu ,Pattom P.O, Thiruvananthapuram - 695 004, |

| | |
|---|--|
| 34 Smt. Preethi Gopinath Akamuttathu Pulickal Periserry P O Chengannur 689126 | Kerala State Pollution Control Board, District Office, AMC/X/501, Thathampally P.O., Alappuzha |
|---|--|

ഇവരുടെ സേവനം തികച്ചും താല്ക്കാലിക അടിസ്ഥാനത്തിലായിരിക്കും. ഇവരുടെ കർത്തവ്യവും സ്വഭാവവും തൃപ്തികരമല്ലെന്ന് കണ്ടെത്തിയാൽ നിയമനം റദ്ദുചെയ്യുന്നതാണ്. ഈ കോൺട്രാക്ട് നിയമനം കൊണ്ട് ബോർഡിന്റെ സർവ്വീസിൽ റഗുലറൈസ് ചെയ്ത് കിട്ടാനോ ഭാവിയിൽ ബോർഡിലെ റഗുലർ നിയമനത്തിന് അവകാശം ഉണ്ടായിരിക്കുകയോ ചെയ്യുന്നതല്ല. എംപ്ലോയ്മെന്റ് ഓഫീസിൽനിന്നും താങ്കളുടെ പേര് ശുപാർശ ചെയ്തതിൽ ക്രമക്കേടോ, നിയമനം നൽകിയതിൽ അപാകതയോ ഉള്ളതായി കണ്ടെത്തിയാൽ ഇവരുടെ സേവനം അവസാനിക്കുന്നതാണ്.

കോൺട്രാക്ട് നിയമന വ്യവസ്ഥകളും നിബന്ധനകളും അംഗീകരിക്കുന്നപക്ഷം നിയമന ഉത്തരവ് കൈപ്പറ്റി 15 ദിവസത്തിനുള്ളിൽ അതാത് ഓഫീസുകളിലെ മേലധികാരിക്ക് മുമ്പാകെ ഫോട്ടോ ഐ ഡി, വിദ്യാഭ്യാസ യോഗ്യത, വയസ്സ്, ജാതി എന്നിവയുടെ അസ്സൽ രേഖകളുമായി ഹാജരാക്കേണ്ടതാണ്. അതോടൊപ്പം നിശ്ചിത മാതൃകയിലുള്ള ബോണ്ടും സമർപ്പിക്കേണ്ടതാണ്.

അംഗീകൃത ഗവൺമെന്റ് ഡോക്ടറിൽനിന്നുള്ള യോഗ്യതാ സർട്ടിഫിക്കറ്റും, ഗസറ്റഡ് ഓഫീസർ സാക്ഷ്യപ്പെടുത്തിയ സ്വഭാവ സർട്ടിഫിക്കറ്റും ഹാജരാക്കേണ്ടതാണ്. നിശ്ചിത സമയ പരിധിക്കുള്ളിൽ ഹാജരാക്കാത്തപക്ഷം ഈ നിയമന ഉത്തരവ് റദ്ദ് ചെയ്തതായി കണക്കാക്കുന്നതും, നിയമനത്തിന് താങ്കൾക്ക് വീണ്ടും അവകാശം ഉന്നയിക്കാൻ അർഹത ഉണ്ടായിരിക്കുന്നതുമല്ല.

മേൽ ഉത്തരവും, ബോണ്ടിന്റെ മാതൃകയും ബോർഡിന്റെ വെബ്സൈറ്റ് ["www.keralapcb.nic.in"](http://www.keralapcb.nic.in) ൽ ലഭ്യമാണ്.

(ഒപ്പ്)
 ചെയർമാൻ

ബന്ധപ്പെട്ട വ്യക്തികൾക്ക്
 ചീഫ് എൻവയോൺമെന്റൽ എഞ്ചിനീയർ, മുഖ്യകാര്യാലയം/മേഖലാ കാര്യാലയം/
 തിരുവനന്തപുരം/എറണാകുളം/കോഴിക്കോട്
 ചീഫ് എംപ്ലോയ്മെന്റ് ഓഫീസർ, റീജിയണൽ പ്രൊഫഷണൽ & എക്സിക്യൂട്ടീവ് എംപ്ലോയ്മെന്റ്
 എക്സ്പെഞ്ച്, തിരുവനന്തപുരം
 പരിസ്ഥിതി എഞ്ചിനീയർ ജില്ലാ കാര്യാലയം തിരുവനന്തപുരം/കൊല്ലം/പത്തനംതിട്ട/
 ആലപ്പുഴ/കോട്ടയം/ ഇടുക്കി/ എറണാകുളം/ തൃശ്ശൂർ/ പാലക്കാട്/ മലപ്പുറം/ കോഴിക്കോട്/
 വയനാട്/കണ്ണൂർ/ കാസർഗോഡ്
 ഇ7 സെക്ഷൻ/ അക്കൗണ്ട്സ് സെക്ഷൻ
 ചെയർമാൻ/മെമ്പർ സെക്രട്ടറി എന്നിവരുടെ സി എ മാർക്ക്
 ഓഫീസ് കോപ്പി/കരുതൽ ഫയൽ

ഉത്തരവിൻ പ്രകാരം

Zeenu

സീനിയർ സൂപ്രണ്ട്